

Fundo Discreto®

- Attachment element for wedi Fundo shower elements with linear drainage
- For creating an attractive wall drain
- Includes a high-quality V₂A cover which can be used on both sides
- Easy to clean
- 100 % waterproof complete system



General product description

Attachment element for the Fundo Riolito neo, Riolito and Plano Linea shower elements to create an optical wall drain.

Areas of application

The areas of application set out here apply in combination with the use of a Fundo Riolito neo, Fundo Riolito or Fundo Plano Linea shower element

- In private residential construction
- In public buildings complying with DIN 18040 part 1
- In accessible dwellings complying with 18040 part 2 (note specifications for minimum tile size if wheelchair access is planned, see technical specifications)
- As structural sealing in combination with tile or slab coverings for load classes A0 and A (floors subject to moderate non-pressing water load in interior areas, directly loaded floors in rooms in which tap water or cleaning water is used very frequently or for long periods). More info available at www.wedi.eu

Product characteristics

The Fundo Discreto allows the drainage channel of the Fundo Riolito / Riolito neo / Plano Linea shower elements to visually disappear thus creating an optical illusion of water draining away directly into the wall. This clever element can be easily integrated flush into existing walls, ledge solutions, shelves, steps or benches to mention only a few. Its channel perfectly matches the dimensions of the corresponding Fundo Riolito / Riolito neo / Plano Linea element's channel thus it is very easy to position and install.

Surface requirements, processing

The substrate must be a Fundo Riolito neo / Riolito / Plano Linea shower element. More information about fitting can be found in the installation instructions (www.wedi.eu).



* Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant A+ (très faibles émissions) à C (fortes émissions).

Technical specifications

Matching the channel lengths of the Fundo Riolito neo/Riolito/Plano Linea, the V₂A stainless steel cover of the Fundo Discreto can be used on both sides (one side is brushed stainless steel and the other is tileable). It can be adjusted for tile thicknesses between 5 and 20 mm (wall and floor). The adjustment is simply done using a template (included in scope of delivery).

Distance from floor tiles to cover	7 mm
Cover dimensions (length × height × depth)	280 × 67 × 22,5 mm 680 × 67 × 22,5 mm 780 × 67 × 22,5 mm 880 × 67 × 22,5 mm 1.080 × 67 × 22,5 mm
Horizontal installation depth	150 mm
Construction height on Riolito	154 mm

Designation	length × height × depth	channel length
Fundo Discreto, attachment element	900 × 154 × 80 mm	300 mm
Fundo Discreto, attachment element	900 × 154 × 80 mm	700 mm
Fundo Discreto, attachment element	1.000 × 154 × 80 mm	800 mm
Fundo Discreto, attachment element	1.000 × 154 × 80 mm	900 mm
Fundo Discreto, attachment element	1.200 × 154 × 80 mm	1.100 mm

The full width of the Discreto element is optimised to fit the width of shower elements with corresponding channel lengths. Fundo Discreto suits for all Fundo Riolito, Riolito neo and Plano Linea with channel lengths of 300 mm, 700 mm, 800 mm, 900 mm and 1.100 mm. Fundo Riolito, Riolito neo and Plano Linea shower elements can be shortened on site, but the geometry of the elements should be taken into account.

The full element width of Fundo Discreto can also be customised to match width of the Fundo elements with corresponding channel lengths. Please note the following information.

Designation	length × height × depth	channel length	per side shortenable by
Fundo Discreto	900 × 154 × 80 mm	300 mm	max. 250 mm
Fundo Discreto	900 × 154 × 80 mm	700 mm	max. 50 mm
Fundo Discreto	1.000 × 154 × 80 mm	800 mm	max. 50 mm
Fundo Discreto	1.000 × 154 × 80 mm	900 mm	not recommended
Fundo Discreto	1.200 × 154 × 80 mm	1.100 mm	not recommended

Packaging

1 box

Scope of delivery

1 × attachment element, 1 × V₂A stainless steel cover, usable on both sides, 1 × Allan key, 2 × installation template